

**Digitales Brandenburg**

hosted by **Universitätsbibliothek Potsdam**

**Zur Biologie des Flußplanktons**

**Krieger, Walther**

**Jena, 1927**

Register.

**urn:nbn:de:kobv:517-vlib-6929**

## Register.

- A.
- Actinastrum hantzschii 47, 54, 58.  
 — — obtusum 47, 59.  
 Anabaena flos aquae 41, 50, 53, 56.  
 — hassallii 41, 50, 53, 56.  
 — lemmermannii 41, 53, 56.  
 — macrospora 41, 50, 53, 56.  
 — spiroides 41, 50, 53, 56.  
 Ankistrodesmus falcatus 48, 54, 58.  
 — pfitzeri 48, 54, 58.  
 — setiger 48, 54, 58.  
 Aphanizomenon flos aquae 41, 50, 53, 56.  
 Asterionella formosa 38, 50, 51, 60.  
 Attheya zachariasii 28, 43, 50, 52, 56, 60.  
 Auxosporen 9, 13, 15, 17, 20, 21, 23, 59.
- B.
- Bachtypen 2.  
 Benthosformen 52.  
 Botryococcus braunii 40.
- C.
- Centronella reicheltii 31, 53, 56.  
 Ceratium cornutum 43, 54, 57.  
 — hirundinella 44, 51, 54, 57.  
 Chemismus der Gewässer 4, 7.  
 Chodatella ciliata 46, 54, 57.  
 Chroococcus dispersus 40, 53, 56.  
 — limneticus 40, 50, 53, 56.  
 Closterium aciculare 48.  
 Coelastrum cambricum intermedium 48, 50, 54, 58.  
 — microporum 48, 50, 54, 58.  
 — reticulatum 48, 54, 58.  
 Coelosphaerium kützingianum 40, 53, 56.  
 — naegelianum 40, 50, 53, 56.  
 Coscinodiscus subtilis 28, 52, 56, 60.  
 Cosmarium depressum 48.  
 Crucigenia rectangularis 50, 54, 58.  
 — triangularis 47, 54, 58.  
 Cyclotella comta 25, 50, 52, 56.  
 — — quadrijuncta 26, 52, 56, 60.  
 — — radiosa 25.  
 — dubia 22, 52, 56, 59.  
 — — spinulosa 23.  
 — kützingiana 26, 52, 56, 59.  
 — — parva 27.  
 — — planetophora 27.  
 — — radiosa 27.  
 — meneghiniana 24, 50, 52, 56, 59.  
 — — rectangulata 25.  
 — stelligera 24.  
 Cymatopleura elliptica 53, 56.  
 — solea 53, 56.
- D.
- Dauersporen 15, 28, 29.  
 Detritusgehalt 4.
- E.
- Entnahmestellen 6.  
 Eudorina elegans 44, 51, 54, 57.
- F.
- Fragilaria capucina 33, 50, 53, 56.  
 — construens 34, 50, 53, 56.  
 — crotonensis 32, 50, 51, 53, 56, 60.  
 — intermedia 33, 50, 53, 56.  
 — pinnata 53, 56.  
 — — elliptica 34, 50, 53, 56.
- G.
- Gefälle der Havel 8.  
 Gliederung der Havel 5, 49.  
 Gloeococcus schroeteri 44, 50, 54, 57.  
 Gloeotrichia echinulata 41, 49, 50, 51, 53, 56.
- H.
- Heloplankton 52.  
 Hofmania lauterbornii 47, 54, 58.  
 Hyalobryon lauterbornii 43, 51, 53, 57.
- K.
- Kirchneriella lunaris 47, 50, 54, 58.
- L.
- Limnoplankton 52.  
 Lokalplankton 50.  
 Lyngbya limnetica 41, 53, 56.
- M.
- Mallomonas acaroides 41, 53, 57.  
 — caudata 41, 53, 57.  
 — dubia 41, 53, 57.  
 — producta 41, 53, 57.  
 — tonsurata 41, 53, 57.  
 Marssoniella elegans 41, 53, 56.  
 Melosira granulata 8, 43, 50, 51, 52, 56, 60.  
 — — angustissima 11, 50, 52, 56, 59, 60.  
 — — curvata 12, 52, 56.  
 — — helvetica 12, 52, 56, 59.  
 — — italica 14, 52, 56.  
 — — ambigua 15, 50, 52, 56, 60.  
 — — crenulata 16, 52, 56.  
 — varians 17, 50, 52, 56.



- Merismopedia elegans* 41, 53, 56.  
 — *tenuissima* 41, 53, 56.  
*Microcystis aeruginosa* 40, 50, 53, 56.  
 — *elabens* 40, 53, 56.  
 — *flos aquae* 40, 50, 53, 56.  
 — *holsatica* 40, 53, 56.  
 — *pulverea incerta* 53, 56.  
 Milieufaktoren 4, 7.  
*Mougeotia spec.* 48, 50.
- N.
- Nitzschia acicularis* 39, 50, 53, 56.  
 — *kützingiana* 39, 53, 56.
- O.
- Oocystis elliptica* 46, 54, 57.  
 — *naegelii* 46, 50, 54, 57.  
 — *pelagica* 46, 54, 57.  
 — *solitaria* 46, 54, 57.  
*Oscillatoria agardhii* 41, 53, 56.
- P.
- Pandorina morum* 44, 51, 54, 57.  
*Pediastrum biradiatum* 46, 54, 57.  
 — *boryanum* 45, 50, 54, 57.  
 — — *divergens* 45.  
 — — *forcipatum* 45.  
 — — *granulatum* 45.  
 — — *longicorne* 45.  
 — — *perforatum* 45.  
 — — *subuliferum* 45.  
 — — *undulatum* 45.  
 — *clathratum* 54, 57.  
 — — *punctatum* 45.  
 — *duplex* 45, 50, 54, 57.  
 — — *asperum* 45.  
 — — *clathratum* 45.  
 — — *gracillimum* 45.  
 — — *microporum* 45.  
 — — *reticulatum* 45.  
 — — *rugulosum* 45.  
 — — *subintegrum* 45.  
 — *integrum* 45, 54, 57.  
 — *kawraiskyi* 45, 54, 57.  
 — *simplex* 54, 57.  
 — — *granulatum* 45.  
 — — *radians* 45.  
 — *tetras* 46, 50, 54, 57.  
*Pleomorphismus* 11, 59.
- R.
- Rhizosolenia longiseta* 29, 50, 52, 56, 60.  
*Richterella botryoides* 46, 54, 57.
- S.
- Scenedesmus acuminatus* 46, 54, 57.  
 — *arcuatus* 47, 54, 58.  
 — *bijugatus* 54, 58.  
 — — *alternans* 47.
- Scenedesmus denticulatus* 46, 54, 57.  
 — *obliquus* 46, 54, 57.  
 — *opoliensis* 47, 54, 57.  
 — *quadricauda* 46, 50, 54, 57.  
 — — *dispar* 47.  
 — — *horridus* 47.  
 — — *setosus* 46.  
 — *serratus* 46, 54, 57.  
*Schizochlamys delicatula* 44, 50, 51, 54, 57.  
 Seentypen 3.  
*Selenastrum bibraianum* 48, 54, 58.  
*Staurastrum avicula* 48.  
 — *gracile* 48.  
 — *paradoxum* 48, 50.  
 — *pseudopelagicum* 48.  
*Stephanodiscus astraea* 17, 50, 52, 56, 59, 60.  
 — *binderanus* 21, 43, 52, 56, 59, 60.  
 — *hantzschii* 19, 52, 56, 59, 60.  
 — *pusillus* 20, 50, 52, 56, 59, 60.  
 Strömungsgeschwindigkeit 4.  
*Surirella biseriata* 53, 56.  
*Syncrypta volvox* 42, 53, 57.  
*Synedra actinastroides* 37, 53, 56.  
 — *acus* 34, 50, 53, 56, 60.  
 — — *angustissima* 34.  
 — — *delicatissima* 34.  
 — — *ostenfeldii* 36, 53, 56, 59.  
 — *berolinensis* 37, 53, 56, 59.  
 — *cyclopum* 37, 53, 56, 59, 60.  
 — *limnetica* 37.  
*Synura uvella* 42, 53, 57.
- T.
- Tabellaria fenestrata* 29, 52, 56, 60.  
 — — *asterionelloides* 29, 50, 52, 56.  
 — — *geniculata* 30.  
 — — *intermedia* 29.  
 — — *willei* 30.  
 — *flocculosa* 30.  
 — — *pelagica* 30.  
 Teichtypen 3.  
*Tetracoccus botryoides* 46, 54, 57.  
*Tetraëdron caudatum* 46, 54, 57.  
 — *hastatum* 46, 54, 57.  
 — *horridum* 46, 54, 57.  
 — *limneticum* 46, 54, 57.  
 — *spinulosum* 46, 54, 57.  
 — *trigonum* 46, 54, 57.  
*Tetraspora lacustris* 44, 50, 54, 57.  
 Trophiestufen 55.
- U.
- Uroglena volvox* 42, 51, 53, 57.  
*Uroglenopsis americana* 42, 53, 57.
- V.
- Variationstendenzen 23, 24, 26, 27.  
*Volvox aureus* 44, 51, 54, 57.